



<b>Technical Data Sheet</b>	Product Name <b>SCGC™ PP: Random copolymer</b>
	Product Type <b>test by chen</b>
	Product Grade <b>10901WHA</b>

### Product Description

Product Characteristics Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

### Typical Application

Typical Application Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

### Product Characteristics

- test Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor
- TEst testset setes t

### International Compliance

- International Compliance quis nostrud exercitation
- ullamco laboris nisi ut
- aliquip ex ea commodo

Special text testse tes test set es

### Physical Properties

Properties	Test Method	Typical Value	Unit
Elongation at Break	JIS K6723	577	%
Tensile Strength	JIS K6723	135	kgf/cm <sup>2</sup>
Hardness Shore A @15 sec	ASTM D 2240	94	
<b>Film</b>			
Apparent Bulk Density	ISO - 60	test	g/ml

- Note:**
- Test 1
  - Test 2
  - Test 3
  - Test 4



# Technical Data Sheet

Product Name	<b>SCGC™ PP: Random copolymer</b>
Product Grade	<b>10901WHA</b>

Product Type	<b>test by chen</b>
--------------	---------------------

## Processing Guidelines

Processing Guideline Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

## Product Technical Assistance

For technical assistance or further information on this product or any other SCG Chemicals' products, contact your SCG Chemicals technical services at the address as specified below.

## Product Available Form

- Black pellet

## Product Packaging

- 25 kg stretch wrap palletized
- 750 kg big bag

## Storage

- Store in original container in tidy according to the manual of Handling and Storage from TPC Paste Resin Co., Ltd.
- Product(s) should be stored in dry and dust free location at temperature below 50 °C and protected from direct sunlight and/or heat, well-ventilated area, away from incompatible materials and food and drink, as this may lead to quality deterioration, which results in odour generation and colour changes and can have negative effects on the physical properties of this product.
- Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
- The storage area should be stable and not be sloped.

## Safety

- The product is not classified as a hazardous material.
- Please see our Material Safety Data Sheet for details on various aspects of safety, recovery, and disposal of the products;  
for more information, contact your SCG Chemicals technical services.



# Technical Data Sheet

Product Name	<b>SCGC™ PP: Random copolymer</b>
Product Grade	<b>10901WHA</b>

Product Type	<b>test by chen</b>
--------------	---------------------

## Recycling

- The product is suitable for recycling using modern methods of shredding and cleaning. In-house production waste should be kept clean to facilitate direct recycling.
- Please see our Material Safety Datasheet for details on various aspects of safety, recovery and disposal of the products;  
for more information, contact your SCG Chemicals technical services.

## Related Documents

- The latest version of this document will be available at our website, -, or can be obtained from the SCG Chemicals technical services.
- The following related documents are available on request, and represent various aspects on the usability, safety, recovery and disposal of the product.
  - Safety Data Sheet
  - Declaration of Compliance

## Disclaimer

- The Applications specified herein is for reference only.
- It is customer's responsibilities to inspect and test the product for suitability of the customer's own use and purpose. The customer is responsible for appropriate, safe, legal use, processing and handling of the product.
- To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication. We however do not assume any liability whatsoever for the accuracy and completeness of the information contained herein.
- We make no warranties which extend beyond the description herein. Nothing herein shall constitute any implied warranty of merchantability or fitness for a particular purpose.
- No liability can be accepted in respect of the use of the product in conjunction with other materials. The information contained herein relates exclusively to the product when it is not used in conjunction with any third party's materials.